

Jinlong Medical Emergency Ambulance Gasoline 7 Seats

Basic Information

• Place of Origin:

. Brand Name: Jinlong medical ambulance gasoline 7 seats

Jinlong medical ambulance gasoline 7 seats Model Number:

4×2

• Minimum Order Quantity: 1vehicle

• Price: 20000-30000dollar

 Packaging Details: entire car 5-8week days • Delivery Time:

T/T • Payment Terms:

• Supply Ability: 1000 vehicle



Product Specification

· Accessibility: Easy Access For Patients

7 Seats · Capacity:

• Comfort: High-comfort Interior

Cost: High

Durability: High-durability Materials Engine: High-performance

Advanced Medical Equipment Equipment:

• Fuel: Petrol/Diesel Lighting: LED Lighting System Maintenance: Low Maintenance Cost Noise: Low Noise Level

Safety: High-level Safety Standards

Size: Large • Speed: High

Medical Emergency Ambulance Type:



More Images











Product Description

Jinlong medical ambulance gasoline 7 seats 4×2

Serial number vehicle technical parameters:

- 1 Body size mm mm: 5270×1700×2380 (length× width× height) 2 wheelbase mm: 2890
- 3. The total weight of the vehicle with full load is kg: 2660 4 Vehicle curb weight kg: 1845

- 5 suspension system: McPherson suspension in front and leaf spring suspension in rear are independent. 6 Minimum ground clearance mm: 198
- 7 Minimum turning radius M: 6.15
- 8 fuel type: gasoline 9 Tank volume (L): 55 10 Engine model V22H
- 11 displacement ml: 2237
- 12 rated power kw (HP)/rpm: 85 13 Track (front/rear) mm mm: 1450/1430
- 14 Axle load (front/rear) kg kg: 1270/1390 15 front suspension/rear suspension mm mm: 1300/1080,
- 16 Emission standard: GB18352.6-2016 National VI 17 drive mode: center-mounted rear drive
- Transmission: 5-speed manual transmission 19 top speed km/h: 130
- 20 tyre size model 195/70 r15c, 21 Brake system front disc rear drum

22 rated passenger (including driver) 5-7

Main configuration of vehicles
23 All-metal closed load-bearing body

24 ARS+FRD

25 High Penetration Crystal Diamond Headlights

26 front row electric doors and windows 27 6-way adjustment of driver's seat 28 keys, 2.

Original system of 29 cab medical cabin

30 white bumper 31 spare tire and spare tools 32 High position brake light

The standard color of the car body is Arctic white. Body height high top

Exterior hub steel ring Body color strip

Security configuration
The seat belt is not attached to the alarm. The driver's seat belt is not attached to the alarm.

Auxiliary braking system ABS+EBD auxiliary braking system

A 0.5kg fire extinguisher.

Electrical system headlight headlight headlight fog lamp brake light tailgate high brake light

Air conditioning system: front and rear air conditioning. Warm air front and rear warm air

Operational configuration: manual exterior rearview mirror Front door window electric lifting remote control central control

Internal control unlocking of tailgate opening mode Bumper with tailgate step and rear step

Warning light alarm system: the cab is equipped with alarm, the warning light control button, and the left and right sides are equipped with LED flashing lights.

Central power distribution system: power socket, 1000W intelligent inverter system, high-energy maintenance-free battery, which can provide 220V and 12V power.

Medical interior decoration: environmental protection materials are adopted, and multiple medical lockers are installed. Air conditioning and lighting system,

The central oxygen supply system is installed at the left rear side of the medical cabin: 2 10-liter oxygen cylinders, 2 German oxygen terminals, 1 graduated flow humidifying bottle and 1 hose connector.

A new forward and backward ventilation system is installed at the top of the medical cabin.

Ultraviolet delay disinfection lamp, 2 pieces of hidden infusion hooks in medical cabin.

A front-rear intercom system with the cab is installed at the middle partition of the medical cabin. Equipped with an automatic boarding stretcher.













